INSTRUMENT PRACTICE

INDEX TO VOL. 22, 1968

INSTRUMENT PRACTICE

INDEX TO VOL. 22, 1968

* Signifies new Instruments

A

Actan-Sealectroswitch*, Jan., p. 20; Feb., p. 98.
Actuator:
linear*, June, p. 484
pneumatic*, Dec., p. 984
Actuators:
ball valve*, Feb., p. 92
for drum programmers*, Jan., p. 11
Advanced Industrial Measurement and Control exhibition and symposium —Cardiff, Aug., p. 705
Aerosol*, Jan., p. 3
anti-static*, Dec., p. 984
Agents' Lines, Feb., p. 115
Air/oil unit*, Sept., p. 738
Alarm Techniques with Automatic Supervision, J. C. Ettinger, Sept., p. 776
Amplifier:
differential data*, June, p. 489
differential operational*, Aug., p. 655
dual operational*, Mar., p. 179
f.e.t. operational*, July, p. 591; Nov., p. 904
high gain operational*, Mar., p. 190
i.c. operational*, Mar., p. 192
integrated linear*, Nov., p. 927
integrated operational*, April, p. 285
lock-in*, Oct., p. 821
microcircuit differential*, Mar., p. 190
miniature operational*, Sept., p. 743
operational*, Jan., p. 11; Mar., p. 180; Sept., p. 737; Oct., p. 816; Nov., p. 924
oscilloscope*, July, p. 592
phase locked lock-in*, Mar., p. 200
power*, Aug., p. 671
pulse*, Aug., p. 664
relay driver operational*, Aug., p. 662
set-point*, Dec., p. 993
wide range charge*, July, p. 586
Amplifier/discriminator, i.c.*, Aug., p. 651
Amplifier Module, instrumentation*, Feb., p. 115
Amplifiers:
d.c. differential*, Oct., p. 838
guarded differential*, Jan., p. 14
hybrid operational*, Oct., p. 815
low noise*, Aug., p. 664
Analogue for Non-Newtonian Flow, An, R. H. Skinner, Nov., p. 929
Analogue/Hybrid Computer*, Mar., p. 175; June, p. 502; Dec., p. 983
Analogue tutor*, Aug., p. 655
Analysing dissolved oxygen and carbon in water*, April, p. 288
Analysers, carbon monoxide and hyrdocarbon*, Jan., p. 26
Anemometer, hot wire*, Nov., p. 910
Annunciators, alarm*, Dec., p. 996
Application of Automation in the Process Industries, The, Conference report, David Fraade, Feb., p. 137
Application of Hybrid Computers to System Identification Using Pseudo-random Codes, The, R. E. Selway and D. Bell, Mar., p. 230
Applying the Power Logic-triac, D. Cooper, Oct., p. 849
Are your Measurements Accurate? Mrs. M. Wetten, Nov., p. 946
Aspects of the Direct Analogue Technique for solving Fluid Distribution Network Problems, R. W. Williams, Jan., p. 54
Assessment of Sensing Channels for High Integrity Protective Systems, A. E. Green, Oct., p. 862
Automatic Alarm Monitoring and Data Acquisition via the Public Switched Telephone Network, S. E. Trinder, Part 1, Oct., p. 858; Part 2, Nov., p. 932
Automatic Drilling*, Dec., p. 1006
Automatic searching of water level control*, Mar., p. 200
Automatic Test Equipment, M. E. Walker, Dec., p. 1016

B

Batching System, liquid*, Feb., p. 92
Baths, constant temperature*, Jan., p. 8
Battery Power Supply for a Computer, A, J. A. Scarlett, July, p. 601
Baumann, H. D.: Control Valves—A Practical Guide to their Selection and Application, Part I, Sept., p. 759; Part II, Oct., p. 845
Beck, M. S., Khanduri, S. C., Mehta, R. G.: Control Valve Hysteresis can be Reduced by Dither, Sept., p. 773
Bell, D.: *see* Neate, J. D., and *see* Selway, R. E.
Bench Instrument, portable*, Mar., p. 192
Bi-metal Thermometer, accurate*, Sept., p. 734
Bio-medical Engineering Exhibition Report, May, p. 437
Bi-stable relay unit*, June, p. 508
Book Reviews, Jan., p. 53; Feb., p. 143; Mar., p. 225; April, p. 335; June, p. 551; July, p. 616, 638; Aug., p. 694, 711; Sept., p. 778; Nov., p. 939, 945, 948
Bowl Feeders*, Dec., p. 986
Bridge:
Kelvin-Wheatstone*, Nov., p. 902
Thermometer*, Jan., p. 17
Transducer*, Aug., p. 671
Universal, r.f.*, Oct., p. 821
Wheatstone*, Dec., p. 993
Brown, G. W. and Whalley, L. C.: Some Aspects of Flow Calibration of Pipeline Differential Pressure Producers, Part I, July, p. 597; Part II, Aug., p. 687
Brown, Ross.: Consideration of Various Methods of In-line Blending in the Petroleum Industry, June, p. 527

C

Cabinet, glassfibre weather proof*, Feb., p. 104
Calculator:
desk-top*, Sept., p. 727
flow capacity*, July, p. 580
triple first*, Nov., p. 897
Calibrator, portable*, Jan., p. 26
Calorimeter, differential scanning*, Dec., p. 998
Calorimeter system, laser*, June, p. 502
Camera, oscilloscope*, Nov., p. 909
Capacitors:
polystyrene*, Feb., p. 115
tantalum electrolytic*, June, p. 506
two laboratory*, April, p. 295
Card reading at speed*, Aug., p. 669
Carlisle, S. S.: IMEKO 1970 France, Aug., p. 693
Cells:
photo-electric*, Oct., p. 818
u.v.*, Sept., p. 723
Cerutti, Dr. G.: A Digital Thin-film Deposition Rate Meter, Nov., p. 940
Chemical Analytical Systems, automatic*, Aug., p. 666
Chopping unit, variable frequency*, Mar., p. 180
Chromatograph:
liquid*, Aug., p. 659
liquid, accessories*, April, p. 288
single-stream*, Aug., p. 669
Church, F.: International Consistency Measurement and Control Symposium, July, p. 612

Circulator, waveguide junction*, Jan., p. 26
Class 19 will make big contribution in Scientific Testing Field, E. Foskett, May, p. 431
Clutches, bearing mounted*, Aug., p. 664
Commentary, Jan., p. 5; Feb., p. 89; Mar., p. 177; April, p. 273; May, p. 361; June, p. 481; July, p. 565; Aug., p. 649; Sept., p. 721; Oct., p. 811; Nov., p. 895; Dec., p. 979
Comparator:
component*, July, p. 586
exhaust gas temperature*, Sept., p. 730
Comparators:
differential voltage*, Feb., p. 112
i.c. dual differential*, Mar., p. 198
Component modules, plug-in*, Oct., p. 816
Computer:
desk-top*, Mar., p. 180
digital mass flow*, Nov., p. 910
digital, PDP-8/1*, Jan., p. 8
medium scale*, July, p. 594
self-actuated gas flow*, May, p. 359
Computer Control System—Make or Buy? ISA Conference and Exhibit in Chicago, Dr. Robert S. Davis and D. J. Fraade, April, p. 323
Computer Controlled Process Chromatograph System, D. J. Fraade and Dr. Lawrence Frost, Feb., p. 127
Computer interface*, Jan., p. 14
Commutator, i.c.*, Dec., p. 988
Conditioning modules, transducer*, Sept., p. 749
Consideration of Various Methods of In-line Blending in the Petroleum Industry, Ross Brown, June, p. 527
Continuous Stock Proportioning System, Mar., p. 221
Control Auxiliary Stations*, Jan., p. 18
Controller:
digital totalizer-batch*, Feb., p. 108
flameproof batch*, Nov., p. 924
indicating temperature*, Mar., p. 189
indicating thermistor*, July, p. 594
level, for acids and alkalis*, Jan., p. 17
pneumatic*, Nov., p. 919
pneumatic indicating*, April, p. 275
programme*, Aug., p. 651
sequential*, Oct., p. 829
solid state*, Feb., p. 102
temperature*, June, p. 496; Sept., p. 749; Oct., p. 815
trap index*, Jan., p. 22
vibration*, Jan., p. 26
Controller/indicator:
moving coil*, April, p. 296
temperature*, Nov., p. 899
Controllers:
level*, Feb., p. 92
plug-in unit level*, Mar., p. 200
process*, Mar., p. 195
temperature*, Feb., p. 104; April, p. 281; Sept., p. 733
Control modules, thyristor*, Sept., p. 724
Control of Continuous Processes Using Digital Techniques, The, J. M. Long, Mar., p. 226
Control Sequence, solid state motor*, Feb., p. 102
Controls, liquid level*, Jan., p. 20
Control systems, weight*, July, p. 592
Control unit, photo-electric, P.I.M.*, Feb., p. 95
Control Units, furnace*, July, p. 580
Control Valve Hysteresis can be Reduced by Dither, M. S. Beck, S. C. Khanduri, R. G. Mehta, Sept., p. 773
Control Valves—A Practical Guide to their Selection and Application, H. D. Baumann, Part I, Sept., p. 759; Part II, Oct., p. 845
Converter:
a.c. to d.c.*, Jan., p. 18
a-to-d, d-to-a*, Sept., p. 733
orp-to-current*, Feb., p. 91
turbidity-to-current*, April, p. 281
voltage-frequency*, July, p. 586
Converters, d.c./d.c.*, Nov., p. 907
Converter/Transmitter, signal isolating*, Jan., p. 14
Cooper, D.: Applying the power logic-triac, Oct., p. 849
Cores, ferrite pot*, Aug., p. 662
Counter:
batch*, Nov., p. 907; Nov., p. 909
display, decimal*, Oct., p. 818
impulse*, Jan., p. 26
miniature hour*, June, p. 489
programmer*, Feb., p. 98
single decade*, April, p. 276
Counters*, Oct., p. 826
electric*, Jan., p. 20
Counting and Timing modules*, Feb., p. 91
Counting by Weight equipment*, Feb., p. 112
Counting Micrologic*, July, p. 594
Couplings, elastic tube*, Nov., p. 904
Coupling Fluidics to an Experimental Computer Printer, R. Meldrum and D. Derrick, Aug., p. 681
Curtis, A. J.: Developments in Data Logging Over the Last Two Years, May, p. 435
Cut-price Precision with New Valve Range, Mar., p. 237
Cylinders:
midget*, June, p. 499
miniature*, Jan., p. 11
pneumatic*, Feb., p. 104; July, p. 592
switched pneumatic*, Jan., p. 8

D

Dance, J. B.: Pulse Shaping in Nuclear Amplifiers, Jan., p. 57
Data Logger, tank level*, July, p. 583
Data Logging strain gauge system*, Mar., p. 179
Data Logging system*, June, p. 486
Data Stores now offered by M.E.L.*, April, p. 300
Davies, W. D. T.: The Use of Chain Codes in On-line process Chromatography, Mar., p. 213
Davis, Colin and Rose, James.: The Development of a Digital Counting System, May, p. 429
Davis, Dr. Robert S. and Fraade, D. J.: Computer Control Systems—Make or Buy? ISA Conference and Exhibit in Chicago, April, p. 323
Decoder/Drivers, i.c.*, Nov., p. 927
Decoder, integrated circuit*, Sept., p. 749
Decoders, i.c.*, Sept., p. 745
Densimeter, precision*, Sept., p. 737
Derrick, D.: *see* Meldrum, R.
Detector:
ferrous metal*, Dec., p. 998
i.r.*, Oct., p. 830
leak*, Mar., p. 190
methane*, Sept., p. 738
null*, Sept., p. 734
photo-electric level*, Mar., p. 189
sensitive leak*, Jan., p. 7
ultrasonic flow*, July, p. 591; Nov., p. 927
Detectors:
flow capacitance*, Sept., p. 745
i.r.*, Mar., p. 190
Development of a Digital Counting System, The, Colin Davis and James Rose, May, p. 429
Developments in Data Logging over the Last Two Years, A. J. Curtis, May, p. 435
Dexion's Packaging System Overcomes a Nut and Bolt Problem, R. E. L. Webb, Dec., p. 1022
Dials, precision counter*, Oct., p. 829
Digital and Analogue Computer Integration through Interface and Software, W. A. Havranek, April, p. 330
Digital Thin-film Deposition Rate Meter, A, Dr. G. Cerutti, Nov., p. 940
Diode, miniature*, Dec., p. 1006
Diode Reed Logic*, June, p. 484
Discrepancy Key*, Aug., p. 655
Discriminator, voltage*, Dec., p. 1002
Display:
alpha-numeric data system*, June, p. 479
linear measurement*, June, p. 486
wideband X-Y*, Aug., p. 651
Display unit, 36-message*, Aug., p. 647
Driver, high current*, Nov., p. 914
Dryer control unit*, April, p. 285
Dynamometer, eddy current*, April, p. 276

E

Effect of Heating on the Local Thermoelectric Power Characteristics of Commercial Thermocouple Wires, The, E. W. Northover and J. A. Hitchcock, July, p. 606
E.H.T. modules*, Oct., p. 835
Electronically Controlled Turntable for large Hydraulic Models, An, E. J. Sumray, Dec., p. 1024
Electro-pneumatic Converter, A. C. Law, Nov., p. 936
Encoder, shaft*, Feb., p. 112
Environmental Test Programming, automatic*, Mar., p. 205
EPUT and Timer, new,*, Mar., p. 180
Essential Techniques for Profitable Value Analysis, John C. H. Roberts, April, p. 333
Ettinger, J. C.: Alarm techniques with automatic supervision, Sept., p. 776
Evaluate the Function—the Keystone to Profitable Value Analysis, John C. H. Roberts, Feb., p. 133

F

F.E.T. high frequency*, Aug., p. 666
F.E.T.'s, dual*, Oct., p. 816
Filters:
high pressure gas*, April, p. 300
oil removing*, Jan., p. 7
Finland has First Instrument Showing at I.E.A., May, p. 445
Fishtail Control Valve, New, A. M. Reid, May, p. 439
Flashpoint Determination*, Dec., p. 1002
Flight Refuelling*, July, p. 592
Flip-flops, integrated circuit*, June, p. 506
Flow Measurement Kit, portable*, June, p. 489

Flowmeter:
hygienic*, Mar., p. 185
turbine*, Jan., p. 8
Flowmeters*, Mar., p. 179
Fluidic Absolute Measuring System, A, R. Sharp, R. Maclean and A. McClintock, Jan., p. 43
Fluidic modules*, April, p. 300
Fluidics Kit:
designer*, Aug., p. 651
experiments*, April, p. 271
laboratory*, Nov., p. 910
Fluid logic on unfiltered air*, Aug., p. 673
Flux, coloured*, Nov., p. 902
Fluxgate Magnetometer elements*, Aug., p. 652
Foil, magnetic shield*, July, p. 591
Foskett, E.: Class 19 will make big contribution in scientific testing field, May, p. 431
Fraade, David J.: Conference report. The application of automation in the process industries, Feb., p. 137
Fraade, David J. and Frost, Dr. Lawrence.: Computer controlled process chromatograph system, Feb., p. 127; Oil depot control by on-line computer, Oct., p. 854
Fraade, David J.: *see* Davis, Dr. Robert S.
Frost, Dr. Lawrence.: *see* Fraade, David J.

G

Galvanometers, EVRO*, Feb., p. 91
Gammon, G. J.: *see* Harley, E. L.
Gardiner, J. A.: A size analyser for images and particles, Jan., p. 50
Gas telemetering instruments*, Oct., p. 838
Gate, fluidic two input AND*, Feb., p. 95
Gauge:
contents*, July, p. 587
non-contacting moisture*, June, p. 483
portable metal wall*, June, p. 493
portable vacuum*, Aug., p. 670
Gauges:
differential pressure*, Sept., p. 737
lick-and-stick strain*, April, p. 275
liquid level*, July, p. 587; Dec., p. 991
plastic-cased pressure*, Mar., p. 180; Nov., p. 914
pressure, dead-weight*, April, p. 275
weatherproof pressure*, Mar., p. 190
Gearbox, miniature instrument*, Dec., p. 1002.
Generator:
clock pulse*, Oct., p. 825
diode function*, Oct., p. 825
f.m. signal*, June, p. 483
logic pulse*, Dec., p. 988
time code*, Nov., p. 919
Word*, April, p. 292
Gertler, Janos.: Position versus Velocity Algorithms in d.d.c., Dec., p. 1014
Green, A. E.: Assessment of sensing channels for high integrity protective systems, Oct., p. 862

H

Hall, R. J.: *see* Kirchner, W. G.
Harley, E. L. and Gammon, G. J.: An on-line optimizing computer system, June, p. 513
Harris, W. R.: The solid-state revolution in industrial drive systems, Dec., p. 1029
Havranek, W. A.: Digital and analogue computer integration through interface and software, April, p. 330
Heys, H.: Low-cost programmed testing system, Nov., p. 943
High Cost of "Free" Engineering, The, John C. H. Roberts, June, p. 525
High-performance Shaded-pole a.c. Counter, New, Crawford Robb, Aug., p. 695
Hitchcock, J. A.: *see* Northover, E. W.
Holders, fuse*, Oct., p. 830
How to Determine Good Value, John C. H. Roberts, Mar., p. 233
How to Introduce a Value Analysis Programme, John C. H. Roberts, Dec., p. 1019

I

I.E.A. new products review*, May, p. 363
Image converter tube*, Aug., p. 656
IMEKO 1970 France, S. S. Carlisle, Aug., p. 693
Indicating system, level*, April, p. 296
Indicator:
air pressure*, April, p. 295
contents level*, July, p. 594
digital level*, Dec., p. 993
digital position display*, Feb., p. 102
digital pressure*, Aug., p. 652
digital strain*, Dec., p. 986
elapsed time*, Jan., p. 18; June, p. 506
flow*, Oct., p. 830
liquid level*, June, p. 484
long-life digital*, July, p. 591
peak pressure load*, Aug., p. 656
portable temperature*, Jan., p. 18
short time*, June, p. 502
strain*, Nov., p. 914
subminiature digital*, Jan., p. 8
visual pneumatic*, Aug., p. 664
Indicators:
for pressure and depth*, Mar., p. 186
miniature digital*, July, p. 580
mini temperature*, Feb., p. 102
temperature*, Dec., p. 984
Indicator/controller, water purity*, Aug., p. 659
Industrial Measurement of Liquid Density, P. K. Sage, Sept., p. 767
In-house Process Control at Italian Refinery, June, p. 531
Instrument air dryers*, Oct., p. 825
Instrumentation for Power Transformer Winding Temperature Measurement, E. P. Walker, Feb., p. 138
Instrumentation Oscillator, A 100 kHz, with continuously-variable Frequency Selection and 0·01% Frequency Response, John Nordahl, Walter Towner and Peter Richman, June, p. 518
Instrumentation without Automation, June, p. 535
Instrument feet*, Oct., p. 836
Integrator, digital*, Aug., p. 670
Integrators, precision d.c.*, Sept., p. 723
Interface Unit, processor*, Nov., p. 924
Interkama Review, Dec., p. 1027
International Consistency Measurement and Control Symposium, F. Church, July, p. 612
Ion Chambers, current reference*, July, p. 583

K

Khanduri, S. C.: *see* Beck, M. S.
Kirchner, W. G. and Hall, R. J.: A simple continuous monitor for Dielectric Constant, Mar., p. 222
Kits, test-gear*, June, p. 508

L

LABEX Northern 1968, Scientific and Laboratory Instruments can provide tomorrow's on-line control, Jan., p. 65
Ladder network series*, Mar., p. 205
Lamps, New for Old*, July, p. 563
Language, process control*, Nov., p. 902
Law, A. C.: Electro-pneumatic converter, Nov., p. 936
Leigh, J. R.: The modelling of a hot strip finishing mill and the investigation of possible control strategies—including the use of feedforward techniques, Aug., p. 685
Line Printer, compact*, July, p. 587
Load Cell, precision*,July, p. 580
Load Cells*, Aug., p. 659
Long, J. M.: The control of continuous processes using digital techniques, Mar., p. 226
Low-cost Programmed Testing System, H. Heys, Nov., p. 943
Low Flow Measurement at Sira, April, p. 336

M

Maclean, R.: *see* Sharp, R.
Magnifier, inspection*, Dec., p. 988
Make your Potentiometric Recorder into a Controller, Nov., p. 949
Matrix board*, Mar., p. 205
Matthews, N. O.: Some thoughts on the training of instrument systems engineers, April, p. 328
McClintock, A.: *see* Sharp, R.
McNaught, D. and Waloff, D.: A review of stepper motors and recent developments in high response units, April, p. 315
Mehta, R. G.: *see* Beck, M. S.
Meldrum, R. and Derrick, D.: Coupling fluidics to an experimental computer printer, Aug., p. 681
Memory disc, high capacity*, Aug., p. 661
Meter:
conductivity*, Nov., p. 899
digital frequency*, July, p. 587
gas density*, Sept., p. 734
pH transistorized*, Jan., p. 11
sound level*, Sept., p. 738
ultrasonic thickness*, April, p. 292
universal strain gauge*, Sept., p. 745
vibration*, Nov., p. 900
yarn speed*, Sept., p. 743
Meters:
back-of-panel*, Nov., p. 910
impulse*, Mar., p. 195
wide-angle panel*, Feb., p. 98
Microphotometer*, Oct., p. 829
Microscope conversion for projection*, Nov., p. 914

Microvoltmeter, ultra sensitive*, Oct., p. 821
Mintech and AIIP, Mar., p. 229
Modelling of a Hot Strip Finishing Mill and the Investigation of Possible Control Strategies—Including the use of Feedforward Techniques, The, J. R. Leigh, Aug., p. 685
Modules:
thyristor*, Feb., p. 108
unistep*, April, p. 281
Moisture Checking, dry gas*, Feb., p. 92
Monitor, water quality*, June, p. 496
Monitoring and Control, temperature*, Aug., p. 656
Monitoring System, key*, Mar., p. 200
Motor:
lightweight hydraulic*, Mar., p. 192
permanent magnet synchronous*, April, p. 287
Motors and tachogenerators*, June, p. 508
Multimeter:
d.c.*, Nov., p. 902
electronic*, Dec., p. 988
precision electronic*, Sept., p. 743
Multiplexer, programmable channel*, Sept., p. 724

N

Neate, J. D. and Bell, D.: On-line control and testing of a d.c. motor using a hybrid computer, Feb., p. 144
Neon, miniature*, Dec., p. 996
New Literature, Jan., p. 29; Feb., p. 123; Mar., p. 209; April, p. 339; May, p. 466; June, p. 549; July, p. 639; Aug., p. 712; Sept., p. 755; Oct., p. 842; Nov., p. 955; Dec., p. 1009
News about the I.E.A., May, p. 416
News of the Industry, Jan., p. 67; Feb., p. 158; Mar., p. 260; April, p. 341; May, p. 416; June, p. 552; July, p. 633; Sept., p. 798; Oct., p. 882; Nov., p. 967; Dec., p. 1047
Nordahl, John., Towner, Walter and Richman, Peter.: A 100 kHz instrumentation oscillator with continuously-variable frequency selection and 0·01% frequency response, June, p. 519
Northover, E. W. and Hitchcock, J. A.: The effect of heating on the local thermo-electric power characteristics of commercial thermocouple wires, July, p. 606
Nuttall, C. T.: New two-pole channel switching system used on Concorde fuel test rig, June, p. 522

O

Oil Depot Control by On-line Computer, L. Frost and D. J. Fraade, Oct., p. 854
On-line Control and Testing of a d.c. Motor Using a Hybrid Computer, J. D. Neate and D. Bell, Feb., p. 144
On-line Optimizing Computer System, An, E. L. Harley and G. J. Gammon, June, p. 513
Oscillator:
low-cost, wide range*, April, p. 296
Sine/square*, Nov., p. 904
Oscilloscope:
general purpose*, July, p. 577
monitor*, Oct., p. 821
portable*, Nov., p. 924
10MHz*, Sept., p. 733
Osmometer, automatic high-temperature*, June, p. 484

P

Paint, heat resisting silver*, Jan., p. 20
pH electrodes, steam sterilizable*, April, p. 287
Photodiodes*, Dec., p. 983
Photoswitch*, Nov., p. 927
Photo-transistor with wide field of view*, Jan., p. 7
Pick-up, flowmeter*, Jan., p. 22
Piezoelectric components*, Aug., p. 662
Pipe joint for P.V.C.*, Mar., p. 189
Plotter, incremental*, Oct., p. 826
Plug-in, 100MHz oscilloscope*, Oct., p. 836
Pneumatic Controllers Can Backup d.d.c., M. J. Scott, Dec., p. 1011
Polariscope, transmission*, June, p. 502
Position Versus Velocity Algorithms in d.d.c., Janos Gertler, Dec., p. 1014
Potentiometer:
calibration*, July, p. 586
motor*, Dec., p. 991
precision servo*, Jan., p. 26
thumbwheel*, Dec., p. 988
titration*, Jan., p. 502
3-in-1 size*, Feb., p. 115
Potentiometers:
helical*, Feb., p. 104
medium torque*, Mar., p. 205
miniature helical*, Dec., p. 983
10-turn*, Nov., p. 900
Power Supply:
dual output*, Oct., p. 818
low cost 0·5A*, Jan., p. 20
stabilized*, Oct., p. 838
Power Supplies:
a.c.*, Sept., p. 745
low cost*, Sept., p. 727
Power Supply Unit, strain gauge*, Nov., p. 899
Power Units:
hydraulic*, Nov., p. 909
stabilized*, Sept., p. 749
Printed Board Test Set, R. J. Wales, Nov., p. 938
Printer:
digital*, Dec., p. 986
fitted to Kent Chromalog*, Mar., p. 198
page*, Oct., p. 818
Probes, gaussmeter*, Nov., p. 900
Profitable Ideation—the Key to Successful Value Analysis, John C. H. Roberts, Aug., p. 699
Programme Board, captive-pin*, Nov., p. 914
Programmer:
captive-pin*, Feb., p. 98
mains switching constant cycle*, April, p. 281
pneumatic sequencing*, Dec., p. 1006
stepping*, Aug., p. 666
temperature*, July, p. 594
Programming units*, Jan., p. 22
Protector, remote reset*, Aug., p. 661
Pulse, Feb., p. 147; April, p. 309; June, p. 541; Aug., p. 676
Pulse Shaping in Nuclear Amplifiers, J. B. Dance, Jan., p. 57
Pump:
dosing*, Dec., p. 986
novel vacuum*, Sept., p. 727
vibrator diaphragm*, Feb., p. 115
Pyrometer, portable*, Oct., p. 836
Pyrometer sheaths*, Sept., p. 737

R

Recorder:
data*, June, p. 496; Sept., p. 743
event*, April, p. 288
incremental*, Oct., p. 829
low-priced*, April, p. 278
oscillograph*, Nov., p. 919
portable instrumentation tape*, Feb., p. 116
temperature/humidity*, June, p. 499
u.v.*, June, p. 502
10in. linear/log*, Mar., p. 185
Recorders, log plotting unit for *X-Y**, Jan., p. 14
Recorder, Chart:
high sensitivity*, April, p. 287
inking*, Dec., p. 988
Rectifier, fast recovery silicon*, July, p. 580
Reeds, high voltage*, Aug., p. 659
Regulator:
pneumatic*, Oct., p. 821
temperature/pressure*, Aug., p. 656
Regulators, piloted pressure*, Sept., p. 749
Reid, A. M.: New fishtail control valve, May, p. 439
Relay:
interlocking*, Aug., p. 666
in two versions*, Dec., p. 998
latching reed*, Sept., p. 745
pneumatic time delay*, June, p. 496
Relays:
heavy duty*, Sept., p. 730
logic power*, April, p. 292
miniature*, Aug., p. 671
miniature reed*, Jan., p. 22
reed*, April, p. 296
Review of Stepper Motors and Recent Developments in High Response Units, A, D. McNaught and D. Waloff, April, p. 315
Richman, Peter.: *see* Nordahl, John
Robb, Crawford.: New high-performance shaded-pole a.c. counter, Aug., p. 695
Roberts, John C. H.: Value analysis fundamentals, Jan., p. 47; Evaluate the function—the keystone to profitable value analysis, Feb., p. 133; How to determine good value, Mar., p. 233; Essential techniques for profitable value analysis, April, p. 333; The high cost of "free" engineering, June, p. 525; The secret of profitable value analysis, July, p. 617; Profitable ideation—the key to successful value analysis, Aug., p. 699; Using value analysis to reduce product costs during design work—Part I, Sept., p. 779; Part II, Oct., p. 852; How to Introduce a Value Analysis Programme, Dec., p. 1019

Robot, industrial*, July, p. 571
Rose, James.: *see* Davis, Colin
Rosenbrock, H. H.: University and Industrial relationships, Feb., p. 132

S

Sage, P. K.: Industrial measurement of liquid density, Sept. p. 767
Sampling Adaptor, high frequency*, Mar., p. 185
Sampling Systems, quick response flue gas*, April, p. 300
Scales, dual*, Feb., p. 102
Scaling Unit, 6-12 channel*, April, p. 278
Scanner Unit, reed*, Sept., p. 749
Scarlett, J. A.: A battery power supply for a computer, July, p. 601
Scott, M. J.: Pneumatic Controllers Can Backup d.d.c., Dec., p. 1011
S.C.R., medium speed*, Sept., p. 745
Sealectoboard*, Aug., p. 661
Sealectoboard:
  matrix board*, Aug., p. 671
  pluggable, modular*, Feb., p. 98
  20 × 24*, Dec., p. 991
Secret of Profitable Value Analysis, The, John C. H. Roberts, July, p. 617
Selway, R. E. and Bell, D.: The application of hybrid computers to system identification using pseudo-random codes, Mar., p. 230
Sensing Device, low temperature*, Nov., p. 914
Sensing System:
  photoelectric*, April, p. 295
  solid state*, Feb., p. 102
Sensor, fluidic vortex rate*, Sept., p. 734
Sensors:
  liquid level*, Feb., p. 104
  proximity*, Sept., p. 730
Servomotors, d.c., hit 1200 rev/min. in 1 ms.*, Feb., p. 112
Sharp, R., Maclean, R. and McClintock, A.: A fluidic absolute measuring system, Jan., p. 43
Shift Registers*, Dec., p. 996
  fluidic*, Aug., p. 661
Signal Coupler, insulated*, Dec., p. 1006
Simple Continuous Monitor for Dielectric Constant, A, W. G. Kirchner and R. J. Hall, Mar., p. 222
Sira.: Low flow measurement at Sira, April, p. 336
Size Analyser for Images and Particles, A, J. A. Gardiner, Jan., p. 50
Skinner, R. H.: An analogue for Non-Newtonian flow, Nov., p. 929
Slip-rings and Brushes, miniature*, June, p. 499
Smoke density equipment*, Mar., p. 186
Smoke Detection, photoelectric*, Mar., p. 190
Solderability Testing*, Dec., p. 1006
Solenoid, d.c.*, Feb., p. 108
Solid-state Revolution in Industrial Drive Systems, The, W. R. Harris, Dec., p. 1029
Some Aspects of Flow Calibration of Pipeline Differential Pressure Producers, G. W. Brown and L. C. Whalley, Part I, July, p. 597; Part II, Aug., p. 687
Source, tuning fork signal*, June, p. 496
Spectrometer, X-ray*, Nov., p. 900
Spectroscope, portable*, Feb., p. 104
Spectrum Shaper*, Oct., p. 816
Starter with thermal overloads*, Feb., p. 112
Stepper Motor, Moore Reed add to range*, April, p. 278
Stepper servo motor and control*, Mar., p. 198
Stepping motors*, Aug., p. 652
Stop Watch, digital*, Nov., p. 919
Strain Gauges*, Oct., p. 825
Strain gauge system*, Oct., p. 830
Strain gauge tension cells*, Jan., p. 8
Sumray, E. J.: An electronically controlled turntable for large hydraulic models, Dec., p. 1024
Suppression unit, zero*, July, p. 583
Switch:
  fluidic pressure*, Sept., p. 737
  improved V4*, April, p. 292
  industrial programmer*, June, p. 493
  liquid level alarm*, Mar., p. 192
  miniature pressure*, Feb., p. 98
  programme*, June, p. 506
  programming*, Mar., p. 195
  proximity*, Dec., p. 983
  push-button*, Dec., p. 993
  r.f. reed*, Mar., p. 200
  rotary edge*, Mar., p. 198
  scanner*, Jan., p. 7
  self-indicating modular*, Oct., p. 813
  solenoid operated time delay*, April, p. 287
  stepping*, June, p. 489
  symmetrical differential pressure*, Mar., p. 186
  test*, Oct., p. 836
Switches:
  differential pressure*, Jan., p. 26; Feb., p. 116
  flameproof, pressure*, Aug., p. 664
  float*, Nov., p. 907
  frequency sensitive*, Feb., p. 95
  level*, Mar., p. 192
  manual override on programming*, Jan., p. 20
  pressure*, Oct., p. 815
  pressure and thermostats*, April, p. 275
  stepping, by the yard*, April, p. 327
  thumb-wheel*, Mar., p. 198

T

Tachometer*, Oct., p. 815
Tachometer generator*, Dec., p. 998
Tachometer, photo-transistor*, Feb., p. 95
Tachometer Probe, engine*, Jan., p. 17
Tape Punch, low-speed*, Aug., p. 655
Tape Reader, "Mini" time or step*, Jan., p. 8
Technology Applied, Jan., p. 33; Feb., p. 149; Mar., p. 241; April, p. 303; May, p. 453; June, p. 542; July, p. 623; Aug., p. 673; Sept., p. 785; Oct., p. 870; Nov., p. 956; Dec., p. 1034
Tester:
  portable hydraulic*, Nov., p. 907
  pressure dead-weight*, April, p. 278
  surface temperature*, Mar., p. 198
Thermocouple assembly*, Oct., p. 826
Thermometer:
  electronic*, Nov., p. 909
  helium three*, Aug., p. 671
  non-contact*, Dec., p. 996
  resistance*, Sept., p. 730
Thermostat, evaporator*, Sept., p. 730
Thermostats and pressure switches*, April, p. 275
Thick film compositions*, July, p. 591
Thin Film circuitry, hybrid*, Aug., p. 661
Thin film circuits*, July, p. 583
Thoughts on the Training of Instrument Systems Engineers, Some, N. O. Matthews, April, p. 328
Thyristor, 1·2A*, Aug., p. 671
Thyristor Power Control*, Dec., p. 984
Timer:
  basic version*, April, p. 285
  cycle*, Dec., p. 1002
  escapement*, Aug., p. 666
  fixed period*, Dec., p. 986
  gas flow*, Sept., p. 724
  pneumatic auto-reset dial*, Mar., p. 189
  reset*, Dec., p. 984
  sequential*, Mar., p. 205
Timers:
  contact*, Mar., p. 179
  delay*, Oct., p. 826
  reed relay*, April, p. 300
  variable delay*, Sept., p. 730
Timer unit*, Jan., p. 17
Timing Element, miniature*, Sept., p. 738
Top Value Engineering Man Joins Plessey, Mar., p. 237
Towner, Walter.: *see* Nordahl, John
Transducer:
  general purpose*, Aug., p. 656
  high temperature pressure*, Aug., p. 670
  low pressure*, Oct., p. 835
  pressure*, Sept., p. 723
  small magnetic*, Aug., p. 669
Transducers:
  differential pressure, use titanium*, Jan., p. 11
  high output pressure*, Jan., p. 22
  improved torque*, Aug., p. 652
  linear motion*, Dec., p. 983
  pressure*, Oct., p. 835
  pressure, capacitance*, Jan., p. 17
Transformer, current*, Oct., p. 815
Transistors:
  miniature power*, Sept., p. 749
  nixie drive*, Aug., p. 659
  switching*, Dec., p. 993
Transmitter:
  pneumatic pressure, Taylor 300T, Sept., p. 781
  pressure balance*, Mar., p. 195
Transmitters:
  pneumatic pressure*, Sept., p. 719
  pressure*, April, p. 285
Trinder, S. E.: Automatic alarm monitoring and data acquisition via the public switched telephone network, Part I, Oct., p. 858; Part II, Nov., p. 932
Tube Fittings, high-pressure*, Aug., p. 652
Two-pole Channel Switching System used on Concorde Fuel Test Rig, New, C. T. Nuttall, June, p. 522

U

Ultrasonoscope Mk. 7*, Nov., p. 904
University and Industrial Relationships, H. H. Rosenbrock, Feb., p. 132
U.S.A. at the I.E.A., May, p. 359
Use of Chain Codes in On-line Process Chromatography, The, W. D. T. Davies, Mar., p. 213

Using Value Analysis to reduce Product Costs during Design Work, John C. H. Roberts, Part I, Sept., p. 779; Part II, Oct., p. 852

V

Value Analysis Fundamentals, J. C. H. Roberts, Jan., p. 47
Valve:
air operated*, Jan., p. 14
bubble-tight*, Nov., p. 899
control*, June, p. 486
diaphragm, for breweries, etc.*, April, p. 292.
electro-pneumatic pinch*, Dec., p. 991
flow control, for panel mounting*, April, p. 296
general purpose*, June, p. 502
safety*, Oct., p. 816
sample*, Oct., p. 816
sensitive push-button*, July, p. 583
slide*, Nov., p. 919
thermostatic water*, Mar., p. 185
Valve operator*, Nov., p. 919
Valves and couplings, Mini*, April, p. 278
Valves:
butterfly*, April, p. 276
control*, June, p. 508
eccentric control*, Aug., p. 659
gas operator for quadrant*, June, p. 506
midget poppet*, Aug., p. 670
midget 3-port poppet*, Feb., p. 108
miniature pneumatic*, June, p. 499
new*, Nov., p. 909
pneumatic control*, Oct., p. 818
¼ in. pneumatic poppet*, Mar., p. 200
positioning ball control*, Aug., p. 659
pressure relief*, June, p. 499
screw-down globe*, June, p. 486
Slimseal, range increased*, Mar., p. 205
unidirectional operating head for poppet*, Mar., p. 186
Vauxhall Control By Proximity on New Line, Nov., p. 951
Vibrator, low cost*, Nov., p. 927
Voltage Reference Unit*, Sept., p. 723
Voltage-to-Frequency Converter for Data Acquisition, A New General Purpose, E. J. Wightman, May, p. 421
Voltmeter:
digital*, Mar., p. 179, p. 205; April, p. 295; Aug., p. 661; Sept., p. 727
integrating digital*, Oct., p. 835
true r.m.s*, Sept., p. 723
2-phase sensitive*, Mar., p. 185

W

Wales, R. J.: Printed board test set, Nov., p. 938
Walker, E. P.: Instrumentation for power transformer winding temperature-measurement, Feb., p. 138
Walker, M. E.: Automatic test equipment, Dec., p. 1016
Waloff, D.: *see* McNaught, D.
Water heater testing, pneumatics for*, Aug., p. 673
Webb, R. E. L.: Dexion's packaging system overcomes a nut and bolt problem, Dec., p. 1022
Wetten, Mrs. M.: Are your measurements accurate? Nov., p. 946
Whalley, L. C.: *see* Brown, G. W.
Wightman, E. J.: A new general purpose voltage to frequency converter for data acquisition, May, p. 421
Williams, R. W.: Aspects of the direct analogue technique for solving fluid distribution network problems, Jan., p. 54

Printed in Great Britain by Herald Printers, York and London—70097